

TABLE OF CONTENTS

Volume 1, GENERAL WELDING STANDARDS

GWS 1-09	CONTROL OF SUBCONTRACTED WELDING	2
1.0	PURPOSE AND SCOPE	2
2.0	REFERENCES	2
3.0	ACRONYMS AND DEFINITIONS	2
4.0	GENERAL	2
5.0	PROCEDURE	3
6.0	ATTACHMENTS	5
Attachment 1: Welder Qualification Test Request		5

RECORD OF REVISIONS

Rev	Date	Description	POC	OIC
0	8/16/04	Initial issue.	Kelly Bingham, <i>FWO-DECS</i>	Gurinder Grewal, <i>FWO-DO</i>

Contact the Welding Standards POC for upkeep, interpretation, and variance issues

GWS 1-09	Welding POC/Committee http://www.lanl.gov/f6stds/pubf6stds/engrman/HTML/poc_techcom1.htm#weld
-----------------	---

GWS 1-09 CONTROL OF SUBCONTRACTED WELDING

1.0 PURPOSE AND SCOPE

- A. The purpose of this procedure is to establish the requirements and responsibilities for control of all subcontracted welding activities under the LANL Welding Program.
- B. The scope of this procedure is applicable for the management of all subcontracted welding activities at LANL, whether conducted to the LANL Welding Standards or the subcontractor's welding program as approved by LANL. This includes purchased items or goods whose failure could harm the workers, environment, or the public.

2.0 REFERENCES

- 1. GWS 1.02, Administrative Control of Welding
- 2. GWS 1.03 Welding and Brazing Material Procurement and Control
- 3. GWS 1.05, Welder Performance Qualification/Certification

3.0 ACRONYMS AND DEFINITIONS

None

4.0 GENERAL

4.1 Policy

- A. Consistent with the GWS 1-01, *Introduction and Scope* of this Welding Standards Program, compliance with this policy includes contractor participation in the LANL Welding Program or implementation of the contractor's welding program, as accepted by LANL.
- B. For onsite welding activities each site subcontractor shall implement a planned process that will assure that all welding activities are completed in accordance with the LANL Welding Program. Welders working on site at LANL shall be certified by performance qualification test at the LANL test facility using the welder qualification practices prescribed in GWS 1-05.¹
 - 1. Welding shall be done in accordance with LANL issued or approved Welding Procedures.
 - 2. Welding and brazing materials shall be procured in accordance with the requirements of GWS 1-03.
- C. For off-site welding activities, the subcontractor shall have a LANL approved welding program that meets the appropriate engineering specifications, applicable codes and standards, and contract requirements. Appropriate welding requirements shall also be invoked for sub-tier contractors.

¹ This approach to qual is believed to be the simplest, safest, and most cost-effective approach to meeting the Code requirements. Ref. "Subcontract Welder Onsite Qualification Requirement – Justification," Kelly Bingham/Tobin Oruch 8/16/04, EMref-30. EMRef is a Standards Program cataloging system for hard-to-find references

- D. Alternatively, the WPA may authorize an offsite subcontractor to adopt and follow the LANL Welding Program including use of LANL Welding Procedures, qualification and certification of welders by LANL, procurement and control of filler material as outlined in GWS 1-03, and inspection of welds for acceptance.

4.2 Responsibilities

- A. The LANL FWO DECS Engineering Standards Manager is responsible for review of specifications and contract documents to assure appropriate welding program requirements are established for subcontracted construction activities at the Laboratory.
- B. The LANL WPA and the LANL PS-1 IQMG is responsible for oversight of subcontractor welding activities to assure compliance with this procedure.

5.0 PROCEDURE

5.1 General

- A. Preferred - Each subcontractor shall adopt the LANL Welding Program, use LANL Welding Procedures and have its company welders qualified through the LANL Welding Training and Testing Facility. Welding filler materials shall be subject to the requirements specified in GWS 1-03 whether obtained as GFE or procured by the subcontractor. Subcontractors may elect to use the procedures, forms, reports, checklists, et cetera, as contained in the LANL Welding Program. The LANL captive support services subcontractor shall follow the preferred approach.
- B. Alternatively - A subcontractor holding valid ASME Code Stamp Authorizations shall maintain and implement a welding program for the control of all welding and brazing processes. The program shall describe the subcontractor's welding program and procedures for assuring compliance with specification requirements, applicable fabrication and construction codes, contract documents, and requirements as described in Chapter 13, Welding, of the LANL Engineering Standards Manual. This will require that the subcontractor submit for LANL acceptance the following: Welding Procedure Specifications (WPS), Procedure Qualification Records (PQR), Welder Qualification records including continuity records, reports, checklists, et cetera that shall be functionally equivalent to those described in Chapter 13 - Welding, of the LANL Engineering Manual.
1. The subcontractor's welding program shall be submitted for review and acceptance at the time of contract bid. Acceptance of a subcontractor's welding program shall not relieve the subcontractor of obligations and responsibilities to perform work in accordance with specification requirements and contract documents.

5.2 Requirements

Performance oversight of the subcontractor by LANL shall include:

- A. Subcontractor Pre-Work Meeting - Prior to the start of a work element involving welding, subcontractors shall attend a "reading for understanding" meeting. The meeting shall address the following, as a minimum:
- Quality program procedures to be followed
 - LANL, contractor, engineering standards/specifications, and drawings applicable for the work

- Applicable industry codes and standards
 - Applicable welding program and procedures to be used
 - Applicable testing procedures, including NDE, to be applied
 - Applicable inspection, monitor, hold, and witness points
 - Welding or qualification records to be generated
1. These meetings shall be coordinated and conducted with the LANL WPA. Minutes of meetings shall be made and kept in the site or project files. Attendees should include appropriate contractor representatives and PS-1, IQMG or other designated, qualified LANL QA personnel to assure a uniform understanding and agreement on quality (QA/QC), welding requirements, inspections, hold points, inspection/witness authority, and required welding documentation.
 - B. Certified Welding Personnel - A subcontractor welding personnel shall be tested and certified by LANL, at the LANL Test Facility, in accordance with our standards test procedures. Subcontractor organization chart shall be submitted for review and acceptance prior to contract award. The organization chart shall demonstrate that sufficient staff exists to adequately cover the scope of welding work. A list of personnel job descriptions, including weld inspection responsibilities, shall accompany the organization chart. Subcontractors shall request for welder testing and Certification by filling out Attachment 1 and coordinating with the LANL Welding Test Facility to schedule for Certifications.
 - C. LANL Action Request - To prevent conditions that could result in poor welding workmanship, the LANL WPA shall address the condition by forwarding a LANL Action Request or equivalent to the subcontractor through the LANL responsible manager (e.g., project manager or requestor). The subcontractor should respond to the concern within 24 hours. This document shall be used when less formal communications with the subcontractor have failed to be effective. Note: LANL Action Requests shall not replace a Nonconformance Report.
 - D. Records Review - LANL PS-1, IQMG is responsible for performing ongoing reviews, audits, and monitoring of subcontractor welding records and reports, and coordinate resolution of quality related problem areas with the appropriate organization. Problems will be resolved by the LANL WPA and the LANL PS-1 IQMG representative.
 - E. Third Party Inspection Organizations - Third party inspection organizations (e.g., NDE, testing laboratory) shall be routinely monitored, surveyed and audited by the LANL PS-1, IQMG to ensure that qualified and certified personnel, correct/calibrated equipment, and approved procedures are utilized to perform their scope work.
 - F. Request for Inspection - Requests for inspection shall be coordinated through the LANL WPA who has the authority to establish hold, witness, and monitor points prior to start of work. LANL inspections, monitoring, surveillances, and audits shall be performed and documented in accordance with the applicable sections of the LANL Quality Assurance Program.
 - G. Inspection and Test Equipment - Subcontractor inspection and test equipment shall be calibrated to manufacturer's recommendation and the applicable contract requirements. The LANL PS-1, IQMG shall verify compliance via routine monitoring, audit, and surveillance of subcontractor welding activities.

- H. *Project Meetings - Welding issues should be a standard topic at scheduled subcontractor meetings. The LANL WPA and the LANL PS-1, IQMG representative may attend these meetings to review and resolve welding concerns. Participation in these meetings is not a substitute for subcontractor pre-work meetings.*
- I. Additional Welding Requirements - Should the need for additional welding requirements become apparent, they shall be relayed to the subcontractor in writing. These additional welding requirements should be planned and coordinated through the LANL WPA. Cost and schedule impact of additional welding requirements should be fully addressed. Cost and schedule issues should be discussed before the requirement is relayed to the subcontractor.
- J. Training - Members of the subcontractor welding organization shall be trained in accordance with contract requirements. Additionally, indoctrination shall be provided in the requirements of this procedure and the implementation of the subcontractor's welding program. Personnel subsequently assigned to the subcontractor welding organization shall undergo the same instruction.
- K. Audits and Surveillance - Audits and surveillances of subcontractor welding activities shall be performed by LANL PS-1 personnel in accordance with IQMG procedures and contract requirements.
- L. Nonconformance and Stop Work Reporting - Nonconformance and stop work reporting for subcontractor welding work shall be implemented in accordance with contract requirements. NOTE: Inspection by the LANL WPA or PS-1 IQMG or lack thereof, shall not relieve the subcontractor or its suppliers of their responsibility for compliance with specifications and contract documents, or constitute a waiver of the Laboratory's right to subsequently reject defective work.

6.0 ATTACHMENTS

Attachment 1: Welder Qualification Test Request